


1. ROAD WIDENING AREA = 571.700 SQ.M

- IMPORTANT NOTES:-**
- DRAINAGE PLAN OF NON TOWER AREA SHALL BE PREPARED BASED ON LANDSCAPE PLAN.
 - FOR INVERT LEVEL/PIPE SIZE/PIPE SLOPE/TYPE OF MANHOLE REFER DESIGN CHART.
 - FOR CONSTRUCTION DETAIL OF MANHOLE, PLEASE REFER DRAWING NO (MH-DET-01/02)
 - ALL SEWER LINE SHALL BE LAID IN UPVC PIPE CLASS SN-6 CONFORMING TO IS:15328.
 - ALL SEWER LINE SHALL BE LAID ON PCC BED 1:4:8 WITH ALL ROUND CONCRETE REF. DRAWING (MH-DET-01)
 - ALL DRAIN LINE SHALL BE LAID IN S/S RCC PIPE CLASS NP-3 CONFORMING TO IS:458 WITH CEMENT JOINTS.
 - ALL BURRIED PIPE SHALL BE TESTED FOR LEAKAGES AND STRAIGHTNESS AS PER SPECIFICATION
 - TRENCH SHALL BE REFILLED ONLY AFTER PIPE TESTING
 - CONNECTION OF WATER SUPPLY LINE FROM MUNICIPAL WATER SUPPLY MAIN UG TANK SHALL BE LAID IN HDPE PN-6 OF PE-100 GRADE AND SHALL BE LAID ON BED.

- NOTES:-**
- ALL DIMENSION IN MM.
 - FOR INVERT LEVEL/PIPE SIZE/PIPE SLOPE/TYPE OF MANHOLE REFER DESIGN CHART.
 - FOR CONSTRUCTION DETAIL OF MANHOLE, PLEASE REFER DRAWING NO (MH-DET-01/02)
 - ALL SEWER LINE SHALL BE LAID IN UPVC PIPE CLASS SN-6 CONFORMING TO IS:15328.
 - ALL SEWER LINE SHALL BE LAID ON PCC BED 1:4:8 WITH ALL ROUND CONCRETE REF. DRAWING (MH-DET-01)
 - ALL DRAIN LINE SHALL BE LAID IN S/S RCC PIPE CLASS NP-3 CONFORMING TO IS:458 WITH CEMENT JOINTS.
 - ALL BURRIED PIPE SHALL BE TESTED FOR LEAKAGES AND STRAIGHTNESS AS PER SPECIFICATION
 - TRENCH SHALL BE REFILLED ONLY AFTER PIPE TESTING
 - CONNECTION OF WATER SUPPLY LINE FROM MUNICIPAL WATER SUPPLY MAIN UG TANK SHALL BE LAID IN HDPE PN-6 OF PE-100 GRADE AND SHALL BE LAID ON BED.

LEGENDS FOR PLUMBING:-

	FIRE HYDRANT PIPE
	DOMESTIC WATER SUPPLY PIPE
	FLUSHING WATER SUPPLY PIPE
	EXTERNAL FIRE HYDRANT



PROPOSED HOUSING
AT KHASRA NO. 1226 & 1227
VILLAGE:- NOORNAGAR,
GHAZIABAD

BUILDERS & PROMOTER:-

DRAWING TITLE :-
DUAL PLUMBING LAYOUT PLAN

OWNER SIGN ARCHITECT SIGN

ARCHITECTS:-
SINGLA ARCHITECTS & ASSOCIATES
EROS MARKET PLACE, PLOT NO- 02, SHOP - 87 1ST. FLOOR
SHAKTI KHAND - 2, INDIRAPURAM, GHAZIABAD (U.P.)
Mob: 991998445
e-mail : singlaarchitects3@gmail.com

MEP Consultant:

WeDESIGN Consultants
"Engineered to perfection"
Email - weesignconsultancy@gmail.com
Mob. - 9999288416, 9999288407, 988224495

DESIGN BY:- VIBHOR CHECKED BY:- DINESH SCALE:- NTS DATE:- 27/08/21 DRG. No.:- PL-EX-03