

PROJECT

PROPOSED EWS/LIG LAYOUT PLAN FOR NGK INFRVENTURES PVT. LTD. DIR.- GAURAV DEEP & OTHERS AT KHASRA NO.- 1277 KA, 1260, 1264 KA, 1578, 1276, 1263 KHA, 1263 KA, VILLAGE -PURSAINI PARGANA & TEHSIL MOHANLALGANJ, LUCKNOW.


DRG. TITLE :-

SERVICES PLAN












| DATE | SCALE | REVISION | SHEET NO. |
|----------|-------|----------|-----------|
| 21/11/25 | | R0 | 01 |

| DRAWING NO. | SHEET SIZE | |
|-------------|------------|---|
| S-02 | A0 |  |

NOTE



LEGEND

-  32 MM DIA CPVC WATER SUPPLY FEEDER LINE (TO OVERHEAD TANK)
-  NP3 R.C.C. 250 MM DIA PIPE FOR SEWERAGE
-  NP3 R.C.C. 250 MM DIA PIPE FOR STORM WATER DRAIN
-  uPVC 90 MM DIA PIPE FOR WASTE WATER
-  uPVC 110 MM DIA PIPE WASTE WATER DOWNCOMER
-  uPVC 160 MM DIA PIPE FOR SEWERAGE DOWNCOMER
-  uPVC 160 MM DIA PIPE RAINWATER DOWNCOMER
-  CPVC 25 MM DIA PIPE WATER SUPPLY (DOWNCOMER)
-  900 MM DIA SEWER MANHOLE
-  900 MM DIA DRAINAGE MANHOLE
-  600 X 600 MM CATCH BASIN (RAIN WATER)

(TYPICAL FLOOR PLAN (1ST TO 8TH FLOOR))

NO OF EWS UNIT=8X8=64 NOS
NO OF LIG UNIT=8X8=64 NOS

BOREWELL
BOREWELL DESCRIPTION:
5 HP SUBMERSIBLE PUMP

THIS IS TO CERTIFY THAT PROPOSED BUILDING HAS BEEN PREPARED ACCORDING TO THE INFORMATION GIVEN BY THE OWNER AND BUILDING BYE LAWS 2025 & MASTER PLAN 2031.

architect's avenue
D-2/122,Sambhav Tower,Vibhuti
Khand Gomti Nagar,Lucknow,U.P.



ARCHITECT



OWNER

