



10TH FLOOR ARCHITECTURAL

PLUMBING LEGEND	
①	110 (OD) uPVC SOIL VERTICAL & VENT PIPE
②	110 (OD) uPVC WASTE VERTICAL & VENT PIPE
③	75 (OD) uPVC ANTI-SYPHONAGE PIPE
④	COLD WATER SUPPLY PIPE FOR GUEST FLOOR (HYDROPNEUMATIC SYSTEM)
④a	COLD WATER SUPPLY PIPE FROM PUMP ROOM BASEMENT TO GUEST FLOOR
④b	COLD WATER SUPPLY PIPE FOR SOLAR PANEL FROM O.H.TANK
④c	COLD WATER SUPPLY PIPE TO O.H.TANK
⑤	FLUSHING WATER SUPPLY PIPE FOR GUEST FLOOR FROM O.H.TANK
⑤a	FLUSHING WATER SUPPLY PIPE TO O.H. TANK
⑤b	FLUSHING WATER SUPPLY PIPE FOR TOILET FROM O.H. TANK
⑥	HOT WATER SUPPLY PIPE FROM BOILER FOR GUEST FLOOR
⑥a	HOT WATER SUPPLY PIPE FROM BOILER ROOM BASEMENT TO SERVICE FLOOR
⑥b	HOT WATER SUPPLY PIPE FROM SOLAR PANEL TO BOILER ROOM
⑦	HOT WATER RETURN PIPE TO BOILER FOR GUEST FLOOR
⑦a	HOT WATER RETURN PIPE TO BOILER ROOM SERVICE FLOOR TO BASEMENT
⑧	TOILET EXHAUST DUCT SIZE = 200 X 200MM
⑨	CHILLED WATER SUPPLY/RETURN PIPE
⑩	160 OD uPVC RAIN WATER PIPE FROM TERRACE
⑭	SOFT WATER SUPPLY PIPE

  

● FT	FLOOR TRAP 110X110mm (uPVC SWR 'P' TRAP) WITH S.S GRATING
● FD	FLOOR DRAIN (110X63mm) WITH S.S GRATING
WB TO FT	40 (OD) uPVC PIPE
FD TO FT	63 (OD) uPVC PIPE
FT TO V.STACK	110 (OD) uPVC PIPE
WC TO V.STACK	110 (OD) uPVC PIPE

NO. OF PRINTS	ISSUED TO	DATE
00	---	00/00/00

  

S.N.	DATE	DETAILS
REVISIONS		

PROJECT  
ORIZZONTE COMMERCIAL PROJECT  
PLOT NO. 22 SECTOR IT, KP-III  
GREATER NOIDA

CLIENT

FACILITY PLANNER

STRUCTURAL CONSULTANT  
**Koncept Design Consortium PVT. LTD**  
STRUCTURAL ENGINEERS & PROJECT CONSULTANTS  
Dwarka, G-2A, PLOT NO. 10-10A, PHASE 02P, SECTOR 10, GATEWAY, NEW DELHI

ARCHITECT  
GENRE OF DESIGN  
ARCHITECTURE, MASTER PLANNING & INTERIOR DESIGN  
A-57, BASEMENT FLOOR, SHYAMLIK, MALVIYA NAGAR, NEW DELHI  
TELEPHONE: 011-40574968

MEP CONSULTANTS  
**C TO C Services Consultants Pvt. Ltd.**  
F-67, (Basement) Green Park Main, New Delhi-110016 (INDIA)  
Tel.: 41618888, 41618866  
E-mail: ctocinfo@ctocconsultants.com

STAGE  
TENDER DRAWING

DRAWING TITLE  
10th FLOOR PLAN\_ HOTEL BLOCK (PLUMBING LAYOUT)

Drawn S.P	Checked S.R	Approved H.S
Scale 1:75 @ A1	Date 18.05.2015	Rev. No. RO

Drawing No. CTOC.SEPL.1481.PL.14