



PLUMBING LEGEND

①	110 (OD) uPVC SOIL VERTICAL & VENT PIPE
②	110 (OD) uPVC WASTE VERTICAL & VENT PIPE
②a	1500 CIL KITCHEN WASTE VERTICAL PIPE
③	75 (OD) uPVC ANTI SYPHONAGE PIPE
④	COLD WATER SUPPLY PIPE FOR GUEST FLOOR (HYDROPUNNETIC SYSTEM)
④a	COLD WATER SUPPLY PIPE FROM PUMP ROOM BASEMENT TO SERVICE FLOOR
④b	COLD WATER SUPPLY PIPE FOR SOLAR PANEL FROM O.H.TANK
④c	COLD WATER SUPPLY PIPE TO O.H.TANK
⑤	FLUSHING WATER SUPPLY PIPE FOR GUEST FLOOR FROM O.H. TANK
⑤a	FLUSHING WATER SUPPLY PIPE TO O.H. TANK
⑤b	FLUSHING WATER SUPPLY PIPE FOR TOILET FROM O.H. TANK
⑥	HOT WATER SUPPLY PIPE FROM BOILER FOR GUEST FLOOR
⑥a	HOT WATER SUPPLY PIPE FROM BOILER ROOM BASEMENT TO SERVICE FLOOR
⑥b	HOT WATER SUPPLY PIPE FROM SOLAR PANEL TO BOILER ROOM
⑦	HOT WATER RETURN PIPE TO BOILER FOR GUEST FLOOR
⑦a	HOT WATER RETURN PIPE TO BOILER ROOM SERVICE FLOOR TO BASEMENT
⑧	TOILET EXHAUST DUCT SIZE = 200 X 200MM
⑨	CHILLED WATER SUPPLY/RETURN PIPE
⑩	160 OD uPVC RAIN WATER PIPE FROM TERRACE
⑪	1500 CIL SOIL VERTICAL & VENT PIPE
⑫	1500 CIL WASTE VERTICAL & VENT PIPE
⑬	2000 CIL RAIN WATER PIPE
⑭	SOFT WATER SUPPLY PIPE
⑮	R.O WATER SUPPLY PIPE

● FT	FLOOR TRAP 110X110mm (uPVC SWR 'P' TRAP) WITH S.S GRATING
● FD	FLOOR DRAIN (110X63mm) WITH S.S GRATING
WB TO FT	40 (OD) uPVC PIPE
FD TO FT	63 (OD) uPVC PIPE
FT TO V.STACK	110 (OD) uPVC PIPE
WC TO V.STACK	110 (OD) uPVC PIPE

—	SOIL PIPE
—	WASTE PIPE
—	RAIN WATER PIPE

NO. OF PRINTS	ISSUED TO	DATE
00	---	00/00/00

S.N.	DATE	DETAILS
REVISIONS		

PROJECT
 ORIZZONTE COMMERCIAL PROJECT
 PLOT NO. 22 SECTOR II, KP-III
 GREATER NOIDA

CLIENT

FACILITY PLANNER

STRUCTURAL CONSULTANT
 LANDSCAPE AS PER LANDSCAPE CONSULTANT

ARCHITECT
 GENRE OF DESIGN
 ARCHITECTURE, MASTER PLANNING & INTERIOR DESIGN
 A-57, BASEMENT FLOOR, SHYAMLIK, MALVIYA NAGAR, NEW DELHI
 TELEPHONE: 011-40574968

MEP CONSULTANTS
 C TO C Services Consultants Pvt. Ltd.
 F-67, (Basement) Green Park Main, New Delhi-110016 (INDIA)
 Tel.: 41618888, 41618866
 E-mail: ctocinfo@ctocconsultants.com

STAGE
 TENDER DRAWING

DRAWING TITLE
 GROUND FLOOR PLAN
 HOTEL BLOCK (PLUMBING CUTOUT)

Drawn S.P	Checked S.R	Approved H.S
Scale 1:150 @ A1	Date 18.05.2015	Rev. No. RO

Drawing No. **CTOC.SEPL.1481.PL.02**